


MU1649-4UF

UNDER SINK PURIFIER



Sparkling Water Maker

Selling points :

UF Water System



1. Keep back some minerals in the purified water.



2. Slim design save more space under the sink than the normal UTS.



3. PP filter help to reduce the sediment, rust.



4. Post carbon reduce the odor and chlorine, provide a great taste water.



5. UF filter reduce Organism, bacteria.

MU1649-4UF Product Specification:



Purified water flow(L/min)	120L/H
Rated total purified water volume (L)	3,600
Rated power(W)	0
Filter style & life time	
First Stage Filter & Life Time 第一级滤芯及使用寿命	PP Filter 3600L
Second Stage Filter & Life Time 第二级滤芯及使用寿命	Pre Active Carbon Filter 7200L
Third Stage Filter & Life Time 第三级滤芯及使用寿命	Ultra Filter 5400L
Forth Stage Filter & Life Time 第四级滤芯及使用寿命	Post Active Carbon Filter 3600L
Firth Stage Filter & Life Time 第五级滤芯及使用寿命	/
Filter size 滤芯型号	F1
UV lamp UV灯	NO
Pouvoir Hydrogène--PH 酸碱度	6.5~8.5 Alkalescence
Applicable Environment 适用环境	4~40°C Without Direct Sunshine
Applicable Water Pressure 适用水压	0.1~0.4 Mpa
Feed Water Temperature 适用水温	5~38°C
Applicable Feed Water 适用水质 GB5749-2006	TDS≤350ppm

Smell/Taste 臭和味	NO Smell & Taste
Visible object 可见杂质	No Visible object to naked eyes
ratio of desalinization 脱盐率	ND
Chlorine Reduction 余氯去除率	≥70%
Colon Bacillus	≥99.99%
Heavy mental removable	NO
Oxygen Consumption Reduction Rate 耗氧量去除率	≥20%
Product Dimensions (mm) 产品尺寸	350*106*340
Packing Dimensions (mm) 包装尺寸	350*230*425
N.W. (kg) 净重	2.3
G.W. (kg) 毛重	4.0
Container Loading Qty. (20'/40'GP/40'HQ) - 集装箱装箱量	720/1470/1764
Appliance Certificates	ROHS/REACH