
INSTRUCTION MANUAL

PLEASE READ THIS INSTRUCTION MANUAL THROUGHLY BEFORE USING

HOT & COLD WATER DISPENSER MODEL: HC66L



Operation

- Keep electrical appliances out of reach from Children or infirm persons. Do not let them use the appliances without supervision.
- The appliance is not suitable for installation in an area where a water jet could bu used.
- The appliance has to be placed in a horizontal position.
- The appliance must not be cleaned by a water jet.
- The hot water tap with high temperauter, please keep childern away from it.
- This appliance is suitable for household and commercial.
- To avoid a hazard due to instability of the water dispenser, please fixed the water dispenser on the wall according to following step:
 - 1. Fix one end of the bracket with two screw on the condenser of water dispenser.
 - 2. then fix the other end of bracket with two screw on the wall.
- Don't put it in the place where water spill:
 Keep the place dry, cool and windy and away from the matter easy to fire and explode.
- Don't modify the power plug or use an extension cord, to avoid overheat and fire.
- Don't start or stop the machine working by inserting or taking out the power plug directly.
- Clean and maintain: Pull out the power plug first, do not put the dispenser into water, do not wash it with water or wipe the body with gas or chemical medication.
- When the green light goes out automatically, the temperature of the cold water is about 5°C.
- When cleaning the machine, pull out the power plug and use the clean cloth with neutral washings to wipe the inside, not to spill it with water.
- Caution: Disconnect the power supply during cleaning and inspection to avoid dangers of electric shocks.

Maintenance and Trouble Shooting

• Remove power plug or disconnect from the mains before performing any maintenance or servicing the product.

- Never use detergent or chemicals, which harmful to health to clean the water tanks.
- If dust or other foreign substance has accumulated on the condenser, wipe off with water-soaked soft cloth.
- Do not directly spr ay water on the surface of the product. Wipe the front and back of the product with water-soak soft clothe.
- After cleaning the product, completely dry it. Fill the water to the tanks until water comes out of the hot water tap, and then connect the electric power plug.
- If the supply cord is damaged, it must be replaced by a special cord or assembly available from the manufacturer or its service agent.

Application method

- The water bottle vertically insert to the non-spill system of the water dispenser.
- Turn on the hot water tap, the plug insert to the relevant socket after wait water comes out from the hot water tap.
- Turn on the cold and hot switch, the heating and the cooling system start to work

Circuit Diagram

